



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TRANSACTIONS

OF THE

AMERICAN MATHEMATICAL SOCIETY

EDITED BY

WILLIAM FOGG OSGOOD

EDWARD BURR VAN VLECK

HENRY SEELY WHITE

WITH THE COÖPERATION OF

GILBERT A. BLISS

CHARLES L. BOUTON

LEONARD E. DICKSON

JOHN I. HUTCHINSON

EDWARD KASNER

FOREST R. MOULTON

ERNST J. WILCZYNSKI

EDWIN B. WILSON

VOLUME 11

1910

PUBLISHED BY THE SOCIETY

LANCASTER, PA., AND NEW YORK

1910

PRESS OF
THE NEW ERA PRINTING COMPANY
LANCASTER, PA

TABLE OF CONTENTS

VOLUME 11 1910

PAGES

| | |
|---|-----|
| BECK, H., of Charlottenburg, Prussia. Ein Seitenstück zur Mobius'schen Geometrie der Kreisverwandtschaften | 414 |
| BIRKHOFF, G. D., of Princeton, N. J. A simplified treatment of the regular singular point | 199 |
| BLICHFELDT, H. F., of Stanford University, Cal. Theorems on simple groups | 1 |
| BLISS, GILBERT AMES, of Chicago, Ill. (with MAX MASON). Fields of extremals in space | 325 |
| CRAIG, CLYDE FIRMAN, of Ithaca, N. Y. On a class of hyperfuchsian functions | 37 |
| EISENHART, LUTHER PFAHLER, of Princeton, N. J. Congruences of the elliptic type | 351 |
| ———— Surfaces with isothermal representation of their lines of curvature and their transformations (second memoir) | 475 |
| EVANS, GRIFFITH C., of Cambridge, Mass. Volterra's integral equation of the second kind, with discontinuous kernel | 393 |
| HOSKINS, L. M., of Stanford University, Cal. The strain of a gravitating, compressible elastic sphere | 203 |
| ———— The strain of a non-gravitating sphere of variable density | 494 |
| INGOLD, LOUIS, of Columbia, Mo. Vector interpretation of symbolic differential parameters | 449 |
| KASNER, EDWARD, of New York, N. Y. The theorem of Thomson and Tait and natural families of trajectories | 121 |
| LYTLE, ERNEST B., of Urbana, Ill. Proper multiple integrals over iterable fields | 25 |
| MACMILLAN, WILLIAM DUNCAN, of Chicago, Ill. Periodic orbits about an oblate spheroid | 55 |
| MASON, MAX, of Madison, Wis. (with G. A. BLISS). Fields of extremals in space | 325 |
| MILLER, G. A., of Urbana, Ill. Groups generated by two operators (s_1, s_2) satisfying the equation $s_1 s_2^2 = s_2 s_1^2$ | 341 |
| NEIKIRK, LEWIS IRVING, of Urbana, Ill. Groups of rational transformations in a general field | 294 |
| OWENS, F. W., of Ithaca, N. Y. The introduction of ideal elements and a new definition of projective n -space | 141 |

| | PAGES |
|---|-------|
| RANUM, ARTHUR, of Ithaca, N. Y. The groups of classes of congruent quadratic integers with respect to a composite ideal modulus . . . | 172 |
| SMITH, PERCEY F., of New Haven, Conn. On osculating element-bands associated with loci of surface-elements | 301 |
| SNYDER, VIRGIL, of Ithaca, N. Y. Infinite discontinuous groups of birational transformations which leave certain surfaces invariant . | 15 |
| ————— Conjugate line-congruences contained in a bundle of quadric surfaces | 371 |
| STUDY, EDUARD, of Bonn, Germany. Die natürlichen Gleichungen der analytischen Curven im Euclidischen Raume | 249 |
| WAHLIN, G. E., of Urbana, Ill. On the base of a relative number-field, with an application to the composition of fields | 487 |
| WESTLUND, JACOB, of Lafayette, Ind. On the fundamental number of the algebraic number-field $(k(\sqrt[p]{m}))$ | 388 |
| YOUNG, JOHN WESLEY, of Lawrence, Kans. Two-dimensional chains and the associated collineations | 280 |